

Clay Chimney Pots



Make your chimney a focal point



Selecting Chimney Pots



When selecting a chimney pot that will function properly it is important to consider the top opening in relation to the fireplace opening, and the base dimensions in relation to the flue they are covering. The top opening should be in ratio to the fireplace opening. The chimney pot opening is often smaller than the effective area of the flue liner in order to reduce the effect of wind on the draft. Flue area is typically about $\frac{1}{10}$ the fireplace opening area for square flues and about $\frac{1}{12}$ for round flues. For chimney pots this ratio is often reduced to $\frac{1}{15}$ - $\frac{1}{20}$. The base inside dimension and the base outside dimension should be nearly as large or larger than the largest dimension of the

flue they are being installed on. The base of the chimney pot should not impinge on the effective area of the flue by more than $\frac{3}{4}$ of an inch. Many other factors such as fireplace chimney construction and house air pressure can affect proper chimney operation.

Camelot ●
35" Tall



Fairmont ●
59" Tall



8 1/2 x 13 Peerless ●
28" Tall

Cannon Barrel ●
31" Tall



Beacon ●
30" Tall



Belmont ●

36" Tall



8 1/2 x 8 1/2 Classic ○

22" Tall



Anchor Bonnet ●

18" Tall

Bishop ●

30" Tall

18 x 18 Diamond ○

30" Tall



18 x 18 Peerless ○

30" Tall

Birdcage ●

18" Tall

8 1/2 x 8 1/2 Cathedral ●

22" Tall

King Arthur ○

22" Tall

Installation

Chimney pots are set in a bed of mortar on the masonry chimney cap. The base of the chimney pot need not match the dimensions of the flue liner it is being installed on top of, but should not impinge on the inside area of the flue liner except for the maximum 3/4 of an inch in the corners. The flue liner may extend up inside the chimney pot, or the flue liner may be flush with the top surface of the chimney cap. Additional anchoring may be used to prevent damage from tornadoes, hurricanes or earthquakes. A 1/4 - 1/2 inch diameter hole may be drilled in at least two opposite sides of the chimney pot and a bar used to anchor the top into the grout or the chimney walls. When installing on wood chase chimneys, special attention should be given to preventing water leakage around the base of the chimney pot.

Colonial ●

18" Tall

Mini Windsor ●

18" Tall

Queen Anne ●

18" Tall

Mini Edwardian ○

18" Tall

Chimney Base ○

13" Tall

Essex ●

12" Tall

Mini Hampshire ○

18" Tall

Large Edwardian ●

30" Tall




Sizing Key

○ 8" ● 24" ● 30" ● 36" ● 42" ● 48" ● 60" ● 72"

White indicates pots used to vent appliances with a maximum flue diameter of 8".
Colors indicate the maximum opening width for single-face fireplaces.





Sizing Key

- 8"
- 24"
- 30"
- 36"
- 42"
- 48"
- 60"
- 72"

White indicates pots used to vent appliances with a maximum flue diameter of 8". Colors indicate the maximum opening width for single-face fireplaces.



Clay Chimney Pot Specifications

STYLE	HEIGHT	WEIGHT	TOP OPENING	BASE I.D.	BASE O.D.	
Anchor Bonnet	28"	78	(2) 7 1/2"	11 1/2"	12 1/2"	●
Archduke	30"	366	19 1/2"	24"	27"	●
Austen	36"	138	8 1/2"	12"	14 1/2"	●
Austen EX	50"	175	8 1/2"	12"	14 1/2"	●
Avon	31"	225	11 1/2"	14 1/2" x 14 1/2"	17 1/2" x 17 1/2"	●
Baron	32"	125	9 1/2"	13 1/2" x 13 1/2"	15 1/2" x 15 1/2"	●
Beacon	36"	125	6 3/4"	12"	14 1/2"	●
Belair	29"	160	(2) 7 1/2" x 9"	12 1/2"	18"	●
Belmont	35"	110	(2) 6 1/2" x 7"	11 1/2" x 11 1/2"	13 1/2" x 13 1/2"	●
Bird Cage	18"	37	(4) 3 1/2" x 6 1/2"	11 3/4"	13"	●
Bishop	30"	115	8 1/2"	10 1/2" x 10 1/2"	13 1/2" x 13 1/2"	●
Camelot	33"	160	7 1/2"	13"	15"	●
Cannon Barrel	31"	132	11 1/2"	18 1/2"	20"	●
Cathedral Style						
8 1/2 x 8 1/2 Cathedral	22"	25	(4) 4 1/2" x 4 1/2"	7" x 7"	8 1/2" x 8 1/2"	●
8 1/2 x 13 Cathedral	22"	32	(2) 4 1/2" x 4 1/2" (2) 6 1/2" x 6 1/2"	7" x 11 1/2"	8 1/2" x 13"	●
13 x 13 Cathedral	23"	42	(4) 6" x 6"	11 1/2" x 11 1/2"	13" x 13"	●
13 x 18 Cathedral	32"	90	(2) 6" x 6" (2) 8 1/2" x 8 1/2"	11" x 15 1/2"	13" x 18"	●
18 x 18 Cathedral	32"	125	(4) 9" x 9"	16" x 16"	18" x 18"	●
Chimney Base	13"	44	6 3/4"	9 3/4" x 9 3/4"	11 1/2" x 11 1/2"	●
Classic Style						
8 1/2 x 8 1/2 Classic	24"	35	4 1/2" x 4 1/2"	7" x 7"	8 1/2" x 8 1/2"	●
8 1/2 x 13 Classic	24"	48	6 1/2" x 6 1/2"	7" x 11 1/2"	8 1/2" x 13"	●
13 x 13 Classic	24"	58	7 1/2" x 7 1/2"	11 1/2" x 11 1/2"	13" x 13"	●
13 x 18 Classic	24"	93	10" x 10"	11" x 16"	13" x 18 1/2"	●
18 x 18 Classic	24"	126	10 1/2" x 10 1/2"	16" x 16"	18" x 18"	●
20 x 20 Classic	24"	168	11 1/2" x 11 1/2"	17 1/2" x 17 1/2"	20" x 20"	●
24 x 24 Classic	24"	260	15" x 15"	21" x 21"	24" x 24"	●
Colonial	18"	65	8 1/2"	10"	12 1/2"	●
Devonshire	36"	95	7"	11 1/2" x 11 1/2"	13 1/2" x 13 1/2"	●
Diamond Style						
8 1/2 x 8 1/2 Diamond	27"	41	(4) 4 1/2" x 4 1/2"	7" x 7"	8 1/2" x 8 1/2"	●
8 1/2 x 13 Diamond	27"	54	(2) 5 1/2" x 5 1/2" (2) 6" x 6"	7" x 11"	8 1/2" x 13"	●
13 x 13 Diamond	28"	75	(4) 7" x 7"	11 1/2" x 11 1/2"	13 1/2" x 13 1/2"	●
13 x 18 Diamond	29"	125	(4) 7" x 7"	11" x 16"	13" x 18"	●
18 x 18 Diamond	31"	175	(4) 8 1/2" x 8 1/2"	16" x 16"	18 1/2" x 18 1/2"	●
Duchess	32"	250	16 1/2"	19 1/2"	22 1/2"	●
Edwardian Style						
Mini Edwardian 8 1/2 x 8 1/2	18"	52	7 1/2"	9" x 9"	11" x 11"	●
Mini Edwardian 8 1/2 x 13	18"	58	7 1/2"	9" x 13"	11 1/2" x 15 1/2"	●
Edwardian	35"	125	8 1/2"	10 3/4" x 10 3/4"	13" x 13"	●
Large Edwardian	36"	190	11 1/2"	14 1/2" x 14 1/2"	16 1/2" x 16 1/2"	●
Magnum	46"	400	14 1/2"	18 1/2" x 18 1/2"	21 1/2" x 21 1/2"	●
Super Magnum	50"	540	18 1/2"	25" x 25"	27 1/2" x 27 1/2"	●

Sizing Key

○ 8" | ● 24" | ● 30" | ● 36" | ● 42" | ● 48" | ● 60" | ● 72"

White indicates ports used to vent appliances with a maximum flue diameter of 8".
Colors indicate the maximum opening width for single-face fireplaces.

STYLE	HEIGHT	WEIGHT	TOP OPENING	BASE I.D.	BASE O.D.	
Empress	36"	308	19 1/4"	23 1/2"	27"	○
Essex	12"	60	12" x 12"	15" x 15"	17" x 17"	●
Excalibur	36"	130	(4) 7"	12 1/2" x 12 1/2"	14 1/2" x 14 1/2"	●
13x18 Excalibur	36"	195	(6) 7"	12 1/2" x 20"	14 1/2" x 22 1/2"	●
Fairmont	59"	290	9 1/2"	12 3/4" x 12 3/4"	15 1/2" x 15 3/4"	●
Governor	32"	116	4 1/2" x 8"	8" x 10 3/4"	10" x 13"	●
Large Governor	48"	480	12" x 18"	18" x 22 1/2"	20 3/4" x 25 1/2"	●
Halifax	30"	180	16 1/4"	20 1/4"	22 3/4"	●
Hampshire	32"	165	12"	16"	18 1/2"	●
Mini Hampshire	18"	70	8 1/2"	10 1/4"	12 1/4"	●
Hanover	30"	250	14 1/4"	17 1/4" x 17 1/4"	20 1/2" x 20 1/2"	●
Imperial	82"	720	17 1/2"	22" x 22"	24" x 24"	●
Large Kensington	32"	122	10 1/4"	12" x 12"	14" x 14"	●
Small Kensington	30"	92	8 3/4"	7 3/4" x 11"	10" x 13 1/4"	●
Kent	33"	190	9 1/2" x 9 1/2"	14 1/2" x 14 1/2"	18" x 18"	●
King Arthur	33"	120	10"	12 1/2" x 12 1/2"	14 1/2" x 14 1/2"	●
Mansard	31"	63	(4) 2 1/2" x 5"	11 3/4"	13"	○
Small Mansard	13"	83	9" x 9"	13 1/2" x 13 1/2"	16" x 16"	●
Marquis	36"	575	24"	24"	29"	●
Mathis	26"	120	12 1/2"	16 1/2" x 16 1/2"	19" x 19"	●
Monarch	36"	270	18"	18"	20 3/4"	●
Nottingham	28"	186	20 1/2"	21 3/4"	24"	●
Peerless Style						
8 1/2 x 8 1/2 Peerless	26"	47	(4) 4 3/4" x 4 3/4"	7" x 7"	8 1/2" x 8 1/2"	○
8 1/2 x 13 Peerless	28"	69	(2) 5" x 8"	6 3/4" x 11 1/2"	8 1/2" x 13"	●
			(2) 5" x 5"			
13x13 Peerless	30"	91	(4) 6" x 7"	11 1/2" x 11 1/2"	13" x 13"	●
13x18 Peerless	30"	168	(2) 6" x 9"	11 1/2" x 15 1/2"	13 1/2" x 17 3/4"	●
			(2) 6" x 6"			
18x18 Peerless	30"	240	(4) 5 1/2" x 9 1/4"	15 1/2" x 15 3/4"	18" x 18"	●
Plaza	24"	110	12 1/2"	13 3/4" x 13 3/4"	16 1/4" x 16 1/4"	●
Queen Anne	18"	56	8"	9 1/2"	12 1/2"	●
Savoy	24"	110	12 1/2"	14" x 14"	16 1/2" x 16 1/2"	●
Sentry	25"	116	(4) 6 1/2" x 5"	15 1/2" x 15 1/2"	17 3/4" x 17 3/4"	●
Sherwood	28"	180	20 1/2"	21 3/4"	24"	●
Tuscan	31"	250	(4) 5" x 13"	15 1/4" x 20"	18 3/4" x 23 3/4"	●
			(4) 8" x 13"			
Vanguard	30"	360	19" with (10) 4"	24"	27"	●
Victorian	25"	90	10 1/2" x 10 1/2"	13" x 13"	15" x 15"	●
Virginian	24"	85	10 1/2"	11 1/2"	14"	●
Wellington	26"	180	17 1/4"	22 1/2"	25 1/2"	●
Willow	34"	122	8 1/2"	12 1/4"	14 1/2"	●
Windsor	32"	142	12"	16 1/2"	19"	●
Mini Windsor	18"	65	8 1/2"	10 1/2"	12 3/4"	○
York	33"	202	14 3/4"	20" x 20"	22 1/2" x 22 1/2"	●

Custom Capabilities

Six Standard and Custom Glazes Available

Want a Superior Clay chimney pot in a different color? Not a problem. Any of our pots can be ordered in any of six standard glazes. In addition to natural terra cotta, choose from black, buff, limestone, sandstone, dark red or salt glaze (brown). And if none of these suit your fancy, we can develop custom glazes and finishes to meet your needs.



In addition to more than 60 standard chimney pots, Superior Clay also offers custom-made designs that add very personal character to a home. Whether you want to make minor modifications to an existing chimney pot or have us bring your own design to life, if it can be done,

our artisans can do it. Contact Superior Clay for quotations on custom work.



Custom Texture

Warwick
33" Tall

Gargoyle
25" Tall

Eliza bethan
18" Tall

Round

From 8" to 20"

Rain Guards

Rain guards are available for just about any style of chimney pot. Round rain guards are used with chimney pots that have a round top opening and square rain guards are available for chimney pots or flues with a square top opening.



Octagonal
From 8" to 13"

Square

From 8" to 24"

